

## 12. Naumburger Paarturnier, Endstand, 7.11.2021

Rang ab	Rang bis	Paar	Name	Name	Durchgang 1	Durchgang 2	MP	%	CP
1		10	Falko Gleichmann	Markus Ruge	294,0	267,3	561,3	63,78	84
2		2	Dr. Tobias Mono	Maik Döring	280,0	271,2	551,2	62,64	63
3		105	Alfred Hajek	Dr. Eckehard Pfeifer	271,0	272,9	543,9	61,81	48
4		108	Linda Coe	Wolfram Schatz	249,0	294,8	543,8	61,80	36
5		106	Doris Becker	Prof. Rüdiger Weiner	263,0	243,0	506,0	57,50	27
6		102	Reyk Schäfer	Joey Deutsch	218,0	259,7	477,7	54,28	21
7		3	Zsolt Nagy-Major	Michael Rost	280,0	190,5	470,5	53,47	15
8		107	Bernd Dietze	Dr. Uwe Klaus	197,0	265,5	462,5	52,56	9
9		4	Andrea Rolfmeyer	Matthias Mahnke	219,0	236,5	455,5	51,76	
10	11	7	Marion Pods	Hannelore Wentzel	217,0	227,5	444,5	50,51	
10	11	110	Vesna Graf	Horst Pielsticker	268,0	176,5	444,5	50,51	
12		104	Dr. Inge Gleichmann	Dr. Ralf Gleichmann	229,0	211,5	440,5	50,06	
13		1	Rudolf Rütter	Eckardt Fritz	218,0	222,0	440,0	50,00	
14		103	Lothar Koch	Dorothee Tuchscherer	221,0	212,2	433,2	49,23	
15		5	Soja Arnold	Dr. Andreas Deter	247,0	179,8	426,8	48,50	
16		6	Ursula Nagel	Cornelia Carstens	188,0	227,1	415,1	47,17	
17		9	Rosemarie Hennersdorf	Barbara Andert	174,0	216,9	390,9	44,42	
18		109	Marion Böhm	Angelika Schmidt	160,0	198,9	358,9	40,78	
19		101	Karla Höss	Roswiitha Leich	176,0	173,5	349,5	39,72	
20		11	Dr. Barbara Gollmick	Anne Zettel	166,0	171,5	337,5	38,35	
21	22	8	Barbara Mihailyovics	Irene Traub-Sobott	168,0	147,1	315,1	35,81	
21	22	111	Ingrid Otto	Dr. Ursula Schmidt-Kunter	137,0	178,1	315,1	35,81	



Durchgang 1							
Board	NS	OW	Kontrakt	Ausspiel	Score	MP NS	MP OW
1	101	1	W 4C -2	PA	+100	8,0	12,0
1	105	108	N 2P =	CB	+110	12,0	8,0
1	11	6	W 3C -2	TK	+100	8,0	12,0
1	102	111	N 2P +2	C2	+170	20,0	0,0
1	106	107	N 3P =	CB	+140	16,0	4,0
1	110	103	N 2P +1	CB	+140	16,0	4,0
1	9	5	W 3C -1	PA	+50	4,0	16,0
1	3	2	N 4P -1	CB	-50	1,0	19,0
1	8	10	W 3C -2	T3	+100	8,0	12,0
1	104	109	N 3P =	CB	+140	16,0	4,0
1	7	4	N 3P -1	CB	-50	1,0	19,0
2	101	1	N 3C X -3	K7	-800	0,0	20,0
2	105	108	O 3T -1	C4	+50	11,0	9,0
2	11	6	N 3C -1	K7	-100	8,0	12,0
2	102	111	N 2C +1	K7	+140	18,0	2,0
2	106	107	O 3SA -2	C9	+100	15,0	5,0
2	110	103	W 3K =	C5	-110	6,0	14,0
2	9	5	N 3C -2	K7	-200	4,0	16,0
2	3	2	O 4T -3	K9	+150	20,0	0,0
2	8	10	O 3SA =	PB	-400	2,0	18,0
2	104	109	O 3T -1	C9	+50	11,0	9,0
2	7	4	O 3SA -2	C9	+100	15,0	5,0
3	8	5	O 3P -1	C2	+100	2,0	18,0
3	102	2	O 4P -2	CK	+200	10,0	10,0
3	106	109	S 4C +1	PD	+450	20,0	0,0
3	1	7	S 3C +2	T5	+200	10,0	10,0
3	103	101	O 4P -1	CK	+100	2,0	18,0
3	107	108	S 4C =	T3	+420	16,0	4,0
3	111	104	S 4C =	T3	+420	16,0	4,0
3	10	6	S 4C =	KA	+420	16,0	4,0
3	4	3	O 4P -2	CK	+200	10,0	10,0
3	9	11	S 3C +1	T5	+170	6,0	14,0
3	105	110	O 4P -1	CK	+100	2,0	18,0
4	8	5	W 1SA +3	C3	-180	4,0	16,0
4	102	2	W 3SA +1	T8	-630	0,0	20,0
4	106	109	W 3SA -2	C3	+200	17,0	3,0
4	1	7	O 2P +1	K4	-140	6,0	14,0
4	103	101	W 2SA =	T3	-120	9,0	11,0
4	107	108	O 2P =	CB	-110	12,0	8,0
4	111	104	W 3SA =	C3	-600	2,0	18,0
4	10	6	W 2K =	TD	-90	14,0	6,0
4	4	3	W 2SA =	C3	-120	9,0	11,0
4	9	11	W 3SA -2	C3	+200	17,0	3,0
4	105	110	O 4P -3	CB	+300	20,0	0,0
5	106	111	N 3SA =	C6	+600	18,0	2,0
5	9	6	N 2SA -1	C6	-100	5,0	15,0
5	103	3	N 3SA -1	C9	-100	5,0	15,0
5	107	110	N 3SA -1	C9	-100	5,0	15,0

5	2	8	N 1SA +1	C4	+120	13,0	7,0
5	104	102	N 3SA =	T2	+600	18,0	2,0
5	108	109	N 3SA -1	C9	-100	5,0	15,0
5	101	105	N 2SA =	PA	+120	13,0	7,0
5	11	7	N 3SA =	C9	+600	18,0	2,0
5	5	4	N 3SA -1	C4	-100	5,0	15,0
5	10	1	N 3SA -1	C9	-100	5,0	15,0
6	106	111	N 3T -1	CB	-50	6,0	14,0
6	9	6	O 1SA =	C6	-90	2,0	18,0
6	103	3	N 2P =	K2	+110	14,0	6,0
6	107	110	S 3T -2	K6	-100	0,0	20,0
6	2	8	N 3T =	K2	+110	14,0	6,0
6	104	102	N 2SA -1	K3	-50	6,0	14,0
6	108	109	S 2C +1	T5	+140	20,0	0,0
6	101	105	O 1SA -1	T2	+100	10,0	10,0
6	11	7	N 2P -1	K2	-50	6,0	14,0
6	5	4	N 2P =	C5	+110	14,0	6,0
6	10	1	N 2SA =	K2	+120	18,0	2,0
7	11	2	N 4C X -2	KA	-500	0,0	20,0
7	107	101	N 4C -1	KA	-100	7,0	13,0
7	10	7	N 1SA =	KA	+90	13,0	7,0
7	104	4	W 3P -2	CA	+200	20,0	0,0
7	108	111	N 4C -2	KA	-200	2,0	18,0
7	3	9	N 3C -1	KA	-100	7,0	13,0
7	105	103	N 1SA =	KA	+90	13,0	7,0
7	109	110	W 3P -1	KB	+100	16,0	4,0
7	102	106	N 3C -1	KA	-100	7,0	13,0
7	1	8	N 3C -1	KA	-100	7,0	13,0
7	6	5	N 2C =	KA	+110	18,0	2,0
8	11	2	N 3SA -3	P2	-150	2,0	18,0
8	107	101	S 4P =	CA	+420	14,0	6,0
8	10	7	S 3SA +1	C5	+430	16,0	4,0
8	104	4	S 2SA +4	T4	+240	12,0	8,0
8	108	111	N 3SA +2	KB	+460	18,0	2,0
8	3	9	S 4P -1	CA	-50	6,0	14,0
8	105	103	S 3SA +3	T4	+490	20,0	0,0
8	109	110	N 3SA -4	KB	-200	0,0	20,0
8	102	106	N 3SA -1	P2	-50	6,0	14,0
8	1	8	S 2SA +2	C5	+180	10,0	10,0
8	6	5	S 4P -1	CA	-50	6,0	14,0
9	7	6	O 3C +1	TA	-170	14,0	6,0
9	1	3	O 3SA =	T3	-600	8,0	12,0
9	108	102	O 3SA +3	P5	-690	2,0	18,0
9	11	8	O 3SA +3	P10	-690	2,0	18,0
9	105	5	W 3SA +3	PK	-690	2,0	18,0
9	109	101	O 2SA +3	P6	-210	12,0	8,0
9	4	10	O 4C +2	P6	-680	6,0	14,0
9	106	104	O 2C +4	TA	-230	10,0	10,0
9	110	111	W 3K -1	CB	+100	17,0	3,0
9	103	107	O 2C -1	TA	+100	17,0	3,0

9	2	9	W 3K -2	PK	+200	20,0	0,0
10	7	6	W 1P =	TA	-80	10,0	10,0
10	1	3	W 1P +1	TA	-110	2,0	18,0
10	108	102	W 1P =	TK	-80	10,0	10,0
10	11	8	W 1P +1	TA	-110	2,0	18,0
10	105	5	S 4C -1	PA	-100	6,0	14,0
10	109	101	S 3C =	PA	+140	17,0	3,0
10	4	10	W 2P =	C4	-110	2,0	18,0
10	106	104	W 2P -1	TA	+100	14,0	6,0
10	110	111	N 3C =	P5	+140	17,0	3,0
10	103	107	W 1P =	TA	-80	10,0	10,0
10	2	9	W 3P -2	CD	+200	20,0	0,0
11	3	10	S 4C =	P8	+420	12,0	8,0
11	8	7	S 4C =	P8	+420	12,0	8,0
11	2	4	O 3P X -1	PA	+100	8,0	12,0
11	109	103	S 4C -1	K9	-50	3,0	17,0
11	1	9	S 4C +1	P4	+450	17,0	3,0
11	106	6	S 4C +1	P4	+450	17,0	3,0
11	110	102	S 4C +2	P8	+480	20,0	0,0
11	5	11	S 4C =	P8	+420	12,0	8,0
11	107	105	N 6K -1	PD	-50	3,0	17,0
11	111	101	S 4C -1	TA	-50	3,0	17,0
11	104	108	S 4C -1	P8	-50	3,0	17,0
12	3	10	N 4C +2	TB	+680	14,0	6,0
12	8	7	N 5C -2	T5	-200	0,0	20,0
12	2	4	N 4C +2	TB	+680	14,0	6,0
12	109	103	S 4C =	T7	+620	6,0	14,0
12	1	9	N 4C +2	KD	+680	14,0	6,0
12	106	6	N 3SA -1	T5	-100	2,0	18,0
12	110	102	N 6C =	TB	+1430	20,0	0,0
12	5	11	S 4C +2	T7	+680	14,0	6,0
12	107	105	N 4C +2	TB	+680	14,0	6,0
12	111	101	S 3K +1	PA	+130	4,0	16,0
12	104	108	N 3SA +1	TB	+630	8,0	12,0
13	105	109	S 4P +1	K2	+650	13,0	7,0
13	4	11	S 3P +2	K2	+200	5,0	15,0
13	9	8	S 4P +1	TD	+650	13,0	7,0
13	3	5	S 4P +1	K2	+650	13,0	7,0
13	110	104	S 4P +1	K2	+650	13,0	7,0
13	2	10	O 5T -1	PK	+100	1,0	19,0
13	107	7	S 3P +2	K2	+200	5,0	15,0
13	111	103	S 4P =	K2	+620	8,0	12,0
13	6	1	W 5T -1	P4	+100	1,0	19,0
13	108	106	S 4P X +1	K2	+990	20,0	0,0
13	101	102	S 4P X =	K2	+790	18,0	2,0
14	105	109	N 2P -2	TB	-100	16,0	4,0
14	4	11	N 2P -2	CA	-100	16,0	4,0
14	9	8	N 2P =	TB	+110	20,0	0,0
14	3	5	N 3P -2	TB	-100	16,0	4,0
14	110	104	O 4K +1	PK	-150	8,0	12,0

14	2	10	O 3K +3	K2	-170	3,0	17,0
14	107	7	O 4K +1	PB	-150	8,0	12,0
14	111	103	O 2K +4	T3	-170	3,0	17,0
14	6	1	N 3P -3	TB	-150	8,0	12,0
14	108	106	O 3K +1	P5	-130	12,0	8,0
14	101	102	O 5K =	P5	-400	0,0	20,0
15	102	103	S 3SA +1	K8	+630	15,0	5,0
15	106	110	S 3SA +1	K3	+630	15,0	5,0
15	5	1	S 3SA +1	K3	+630	15,0	5,0
15	10	9	S 3SA =	K4	+600	4,0	16,0
15	4	6	S 3SA =	K8	+600	4,0	16,0
15	111	105	S 3SA =	C7	+600	4,0	16,0
15	3	11	N 3SA +1	P4	+630	15,0	5,0
15	108	8	S 3SA +1	K3	+630	15,0	5,0
15	101	104	S 3SA =	K4	+600	4,0	16,0
15	7	2	S 3SA +1	P6	+630	15,0	5,0
15	109	107	S 3SA =	K3	+600	4,0	16,0
16	102	103	W 2C -1	PB	+100	14,0	6,0
16	106	110	O 2SA -3	P5	+300	17,0	3,0
16	5	1	N 1SA =	C4	+90	11,0	9,0
16	10	9	S 1P =	T2	+80	8,0	12,0
16	4	6	O 2SA -4	P2	+400	20,0	0,0
16	111	105	O 1SA +1	P5	-120	2,0	18,0
16	3	11	N 1SA =	C4	+90	11,0	9,0
16	108	8	O 1SA -3	P5	+300	17,0	3,0
16	101	104	O 1SA =	P5	-90	5,0	15,0
16	7	2	N 1SA -3	C4	-150	0,0	20,0
16	109	107	O 1SA =	P5	-90	5,0	15,0
17	110	108	N 6P +1	T4	+1010	18,0	2,0
17	103	104	N 5P +2	T9	+510	10,0	10,0
17	107	111	N 5P +2	T9	+510	10,0	10,0
17	6	2	N 4P +3	C2	+510	10,0	10,0
17	11	10	N 4P +2	K4	+480	3,0	17,0
17	5	7	N 6P +1	T5	+1010	18,0	2,0
17	101	106	N 4P +2	T4	+480	3,0	17,0
17	4	1	N 6P +1	T9	+1010	18,0	2,0
17	109	9	N 4P +3	KB	+510	10,0	10,0
17	102	105	N 4P +3	KB	+510	10,0	10,0
17	8	3	N 6P -1	C2	-50	0,0	20,0
18	110	108	O 3P =	C4	-140	1,0	19,0
18	103	104	O 3P X -1	KK	+100	13,0	7,0
18	107	111	N 3C +1	PK	+170	18,0	2,0
18	6	2	O 3P =	KK	-140	1,0	19,0
18	11	10	O 3P -1	K2	+50	8,0	12,0
18	5	7	O 4P -3	KK	+150	16,0	4,0
18	101	106	O 3P -1	KK	+50	8,0	12,0
18	4	1	N 4C =	PK	+620	20,0	0,0
18	109	9	O 4P -2	KK	+100	13,0	7,0
18	102	105	N 4C -1	PK	-100	4,0	16,0
18	8	3	O 3P -1	KK	+50	8,0	12,0

19	9	4	W 3SA +2	K4	-660	2,0	18,0
19	111	109	W 5T +1	P10	-620	13,0	7,0
19	104	105	W 3SA +1	P10	-630	7,0	13,0
19	108	101	W 3T +1	P3	-130	17,0	3,0
19	7	3	W 3SA +3	C2	-690	0,0	20,0
19	1	11	W 4T =	C2	-130	17,0	3,0
19	6	8	O 3C -2	T8	+200	20,0	0,0
19	102	107	O 4C =	PK	-620	13,0	7,0
19	5	2	W 3SA +1	K4	-630	7,0	13,0
19	110	10	W 3SA +1	P3	-630	7,0	13,0
19	103	106	W 3SA +1	K4	-630	7,0	13,0
20	9	4	W 1SA -1	K2	+100	15,0	5,0
20	111	109	W 1SA -1	K2	+100	15,0	5,0
20	104	105	O 1SA +1	TD	-120	3,0	17,0
20	108	101	W 2SA -1	K2	+100	15,0	5,0
20	7	3	O 1SA -1	TD	+100	15,0	5,0
20	1	11	N 2K -1	C8	-100	7,0	13,0
20	6	8	S 2SA -2	C9	-200	0,0	20,0
20	102	107	W 1SA -1	K6	+100	15,0	5,0
20	5	2	W 1SA +1	P9	-120	3,0	17,0
20	110	10	N 2K -1	C8	-100	7,0	13,0
20	103	106	W 1SA -1	K2	+100	15,0	5,0
21	104	107	O 2P +2	T8	-170	7,0	13,0
21	10	5	S 3K -1	PD	-100	20,0	0,0
21	101	110	O 3P +1	CA	-170	7,0	13,0
21	105	106	O 3P +1	KA	-170	7,0	13,0
21	109	102	O 2P +1	C2	-140	16,0	4,0
21	8	4	O 2P +1	T8	-140	16,0	4,0
21	2	1	O 2P +2	C9	-170	7,0	13,0
21	7	9	O 2P +1	T8	-140	16,0	4,0
21	103	108	O 2P +2	T8	-170	7,0	13,0
21	6	3	O 4P =	T8	-420	0,0	20,0
21	111	11	O 2P +2	T5	-170	7,0	13,0
22	104	107	S 3P -1	TB	-50	13,0	7,0
22	10	5	N 4P -1	KK	-50	13,0	7,0
22	101	110	W 1SA XX =	TA	-760	0,0	20,0
22	105	106	S 2P =	TB	+110	19,0	1,0
22	109	102	O 3T =	C8	-110	4,0	16,0
22	8	4	N 4P X -1	KK	-100	9,0	11,0
22	2	1	N 3SA -2	T3	-100	9,0	11,0
22	7	9	S 1P +1	TB	+110	19,0	1,0
22	103	108	W 1SA -1	P3	+100	16,0	4,0
22	6	3	O 3T =	P9	-110	4,0	16,0
22	111	11	O 2T +1	P2	-110	4,0	16,0

Durchgang 2							
Board	NS	OW	Kontrakt	Ausspiel	Score	MP NS	MP OW
1	1	101	W 3C -3	P3	+150	20,0	0,0
1	11	110	S 4P -1	K10	-50	3,0	17,0
1	108	10	S 3P =	K10	+140	15,0	5,0
1	9	106	S 2P +1	K10	+140	15,0	5,0
1	8	104	S 2P =	K10	+110	8,0	12,0
1	7	102	S 3P =	K10	+140	15,0	5,0
1	111	6	S 4P -2	CA	-100	0,0	20,0
1	109	5	S 2P =	K10	+110	8,0	12,0
1	107	4	S 3P =	K10	+140	15,0	5,0
1	3	105	S 3P -1	K5	-50	3,0	17,0
1	103	2	S 2P =	T2	+110	8,0	12,0
2	1	101	N 1P +1	C4	+110	18,0	2,0
2	11	110	O 1SA -1	K10	+50	7,0	13,0
2	108	10	O 1K -2	P3	+100	13,0	7,0
2	9	106	N 2SA -1	TA	-100	1,0	19,0
2	8	104	N 3P -1	C9	-100	1,0	19,0
2	7	102	N 2SA =	K5	+120	20,0	0,0
2	111	6	O 1SA =	C5	-90	4,0	16,0
2	109	5	O 1SA -2	C5	+100	13,0	7,0
2	107	4	W 2SA -1	P6	+50	7,0	13,0
2	3	105	O 1SA -2	P9	+100	13,0	7,0
2	103	2	O 1SA -2	C2	+100	13,0	7,0
3	2	102	S 2K +1	K6	+110	16,0	4,0
3	1	111	S 2K =	C5	+90	14,0	6,0
3	109	11	O 4C =	TA	-620	2,0	18,0
3	10	107	O 3C +1	TA	-170	4,0	16,0
3	9	105	W 4C +1	KD	-650	0,0	20,0
3	8	103	O 2C +1	P3	-140	9,0	11,0
3	101	7	S 3K -1	C5	-50	12,0	8,0
3	110	6	S 3SA -3	C8	-150	6,0	14,0
3	108	5	W 3SA -2	K4	+200	18,0	2,0
3	4	106	W 4C -4	K4	+400	20,0	0,0
3	104	3	O 3C =	P3	-140	9,0	11,0
4	2	102	O 2K +1	T4	-110	7,0	13,0
4	1	111	S 2P -2	C2	-200	2,0	18,0
4	109	11	O 4C -3	KA	+300	20,0	0,0
4	10	107	O 2C -2	KA	+200	17,0	3,0
4	9	105	S 2P X -1	K6	-200	2,0	18,0
4	8	103	O 2K +1	P10	-110	7,0	13,0
4	101	7	S 2P -2	C2	-200	2,0	18,0
4	110	6	O 3C -1	KA	+100	13,0	7,0
4	108	5	O 3K -2	T9	+200	17,0	3,0
4	4	106	O 3K -1	KA	+100	13,0	7,0
4	104	3	S 2P -1	C2	-100	10,0	10,0
5	3	103	N 2P =	C9	+110	13,0	7,0
5	2	101	S 2P =	T5	+110	13,0	7,0
5	110	1	Pass		Pass	6,0	14,0
5	11	108	W 2C -1	PK	+50	9,0	11,0



5	10	106	W 3C -4	PK	+200	20,0	0,0
5	9	104	S 2SA =	C4	+120	16,0	4,0
5	102	8	N 1SA +3	T6	+180	18,0	2,0
5	111	7	W 2C -1	PK	+50	9,0	11,0
5	109	6	W 2C =	PK	-110	3,0	17,0
5	5	107	W 3C =	K6	-140	0,0	20,0
5	105	4	W 2C =	PK	-110	3,0	17,0
6	3	103	W 5C =	PD	-650	3,0	17,0
6	2	101	O 3K -1	T2	+100	19,0	1,0
6	110	1	S 4P -3	C3	-150	12,0	8,0
6	11	108	S 3P -2	C8	-100	14,0	6,0
6	10	106	S 4P X -3	TK	-500	9,0	11,0
6	9	104	W 3SA -1	PD	+100	19,0	1,0
6	102	8	S 3P -1	TK	-50	16,0	4,0
6	111	7	W 4C +1	T7	-650	3,0	17,0
6	109	6	W 4C +1	PD	-650	3,0	17,0
6	5	107	W 4C +1	PD	-650	3,0	17,0
6	105	4	S 4P X -3	TK	-500	9,0	11,0
7	4	104	N 3SA -1	CB	-100	0,0	20,0
7	3	102	N 2SA =	CB	+120	4,0	16,0
7	111	2	N 2SA =	PA	+120	4,0	16,0
7	1	109	N 3SA +2	CB	+660	19,0	1,0
7	11	107	N 2SA +1	CB	+150	9,0	11,0
7	10	105	S 3SA +2	C5	+660	19,0	1,0
7	103	9	N 2SA +3	CB	+210	14,0	6,0
7	101	8	S 2T +3	P9	+150	9,0	11,0
7	110	7	N 2SA =	K5	+120	4,0	16,0
7	6	108	N 3SA =	CB	+600	16,0	4,0
7	106	5	S 2P +2	C3	+170	12,0	8,0
8	4	104	N 3C +1	P4	+170	16,0	4,0
8	3	102	N 3C =	P4	+140	12,0	8,0
8	111	2	O 2K =	K4	-90	4,0	16,0
8	1	109	N 3SA -3	K6	-150	2,0	18,0
8	11	107	N 4T +1	P4	+150	14,0	6,0
8	10	105	N 5T +2	P4	+440	20,0	0,0
8	103	9	O 2K X =	CK	-180	0,0	20,0
8	101	8	S 2SA -1	P3	-50	7,0	13,0
8	110	7	N 3SA -1	K2	-50	7,0	13,0
8	6	108	N 3T +1	CA	+130	10,0	10,0
8	106	5	N 5T =	KD	+400	18,0	2,0
9	5	105	W 3C -3	PA	+300	12,0	8,0
9	4	103	O 2K X -1	PD	+200	9,0	11,0
9	101	3	W 3K -1	PA	+100	1,0	19,0
9	2	110	O 2SA -6	T6	+600	20,0	0,0
9	1	108	S 3SA +3	KB	+490	18,0	2,0
9	11	106	N 2P +2	KA	+170	5,0	15,0
9	104	10	W 3K -1	PA	+100	1,0	19,0
9	102	9	S 3SA =	CK	+400	14,0	6,0
9	111	8	S 3SA +1	K3	+430	16,0	4,0
9	7	109	N 3P +1	KA	+170	5,0	15,0

9	107	6	N 2P +3	KA	+200	9,0	11,0
10	5	105	N 4C -1	K4	-100	10,0	10,0
10	4	103	N 2C =	K8	+110	16,0	4,0
10	101	3	N 4C =	PA	+620	18,0	2,0
10	2	110	O 3P X -3	CA	+800	20,0	0,0
10	1	108	N 4C -1	TB	-100	10,0	10,0
10	11	106	N 4C -2	K8	-200	4,0	16,0
10	104	10	O 4P -1	CA	+100	14,0	6,0
10	102	9	O 2P X +1	P5	-870	0,0	20,0
10	111	8	O 3P +1	C6	-170	6,0	14,0
10	7	109	N 4C -3	K8	-300	2,0	18,0
10	107	6	N 3C -1	PA	-100	10,0	10,0
11	6	106	O 3SA -1	K4	+50	10,0	10,0
11	5	104	O 3SA =	K5	-400	2,0	18,0
11	102	4	W 4C -2	K3	+100	15,0	5,0
11	3	111	S 4K -4	C8	-200	4,0	16,0
11	2	109	W 4C -3	PK	+150	18,0	2,0
11	1	107	O 2C +1	T2	-140	6,0	14,0
11	105	11	O 3SA -1	K4	+50	10,0	10,0
11	103	10	O 3SA -2	T2	+100	15,0	5,0
11	101	9	W 4P -4	TA	+200	20,0	0,0
11	8	110	O 3SA +2	K5	-460	0,0	20,0
11	108	7	O 3SA -1	K5	+50	10,0	10,0
12	6	106	O 4C +1	K10	-450	0,0	20,0
12	5	104	O 4C =	TD	-420	4,0	16,0
12	102	4	W 3C +1	T5	-170	9,0	11,0
12	3	111	O 4C -1	TD	+50	18,0	2,0
12	2	109	O 2C +1	TD	-140	13,0	7,0
12	1	107	O 4C =	TD	-420	4,0	16,0
12	105	11	O 3C -1	TD	+50	18,0	2,0
12	103	10	O 4C =	TD	-420	4,0	16,0
12	101	9	O 2C +2	TD	-170	9,0	11,0
12	8	110	O 2C +1	TD	-140	13,0	7,0
12	108	7	O 4C -1	TD	+50	18,0	2,0
13	7	107	S 4C -1	P7	-100	4,5	15,5
13	6	105	W 4P =	CB	-620	0,1	19,9
13	103	5	S 3C +2	P7	+200	12,2	7,8
13	4	101	O 4P X -2	CA	+500	15,5	4,5
13	3	110	S 4C -1	P7	-100	4,5	15,5
13	2	108	O 4P -2	CK	+200	12,2	7,8
13	106	1	S 3C =	KD	60+% / 60+%	12,0	12,0
13	104	11	S 5C -1	P2	-100	4,5	15,5
13	102	10	N 3SA =	P10	+600	17,7	2,3
13	9	111	S 4C =	K6	+620	19,9	0,1
13	109	8	S 3C +1	P7	+170	8,9	11,1
14	7	107	S 3P -1	K5	-50	8,0	12,0
14	6	105	S 4P -2	TB	-100	2,0	18,0
14	103	5	S 2P =	K5	+110	13,0	7,0
14	4	101	N 4P -2	K7	-100	2,0	18,0
14	3	110	S 3P =	K5	+140	17,0	3,0

14	2	108	S 4P -2	TB	-100	2,0	18,0
14	106	1	S 2P +2	TB	+170	20,0	0,0
14	104	11	S 2P =	K5	+110	13,0	7,0
14	102	10	S 3P -1	P10	-50	8,0	12,0
14	9	111	S 3P -1	C5	-50	8,0	12,0
14	109	8	S 3P =	K8	+140	17,0	3,0
15	8	108	O 6P =	K3	-980	4,0	16,0
15	7	106	O 3SA +3	K6	-490	8,0	12,0
15	104	6	O 5P +1	K3	-480	10,0	10,0
15	5	102	O 6P =	P6	-980	4,0	16,0
15	4	111	W 5T =	P10	-400	17,0	3,0
15	3	109	W 5T +1	C4	-420	14,0	6,0
15	107	2	O 6SA -1	K6	+50	20,0	0,0
15	105	1	O 3SA +2	K3	-460	12,0	8,0
15	103	11	O 6SA =	K6	-990	0,0	20,0
15	10	101	O 3SA =	C5	-400	17,0	3,0
15	110	9	O 6P =	C5	-980	4,0	16,0
16	8	108	O 3T +1	C8	-130	3,0	17,0
16	7	106	S 1P -1	KA	-50	16,0	4,0
16	104	6	O 3T =	C8	-110	8,0	12,0
16	5	102	N 2C -1	K10	-50	16,0	4,0
16	4	111	N 1SA -2	TA	-100	12,0	8,0
16	3	109	N 4C -4	K10	-200	0,0	20,0
16	107	2	O 3T +1	C8	-130	3,0	17,0
16	105	1	S 1SA -1	KA	-50	16,0	4,0
16	103	11	O 3T =	C8	-110	8,0	12,0
16	10	101	O 3T -2	C8	+200	20,0	0,0
16	110	9	O 3T =	C8	-110	8,0	12,0
17	9	109	N 3P -2	KA	-100	15,0	5,0
17	8	107	W 4T =	P8	-130	11,0	9,0
17	105	7	N 3P -1	C4	-50	18,0	2,0
17	6	103	W 4T +1	PD	-150	5,0	15,0
17	5	101	N 2P =	KA	+110	20,0	0,0
17	4	110	N 4P -2	C2	-100	15,0	5,0
17	108	3	W 4T =	PD	-130	11,0	9,0
17	106	2	O 3C +2	PA	-200	2,0	18,0
17	104	1	O 3C =	PA	-140	8,0	12,0
17	11	102	W 3SA +1	P4	-430	0,0	20,0
17	111	10	W 2T +3	P8	-150	5,0	15,0
18	9	109	O 3SA -2	C4	+100	12,0	8,0
18	8	107	O 3SA -1	C4	+50	8,0	12,0
18	105	7	O 2SA -3	C6	+150	17,0	3,0
18	6	103	W 3P -3	CD	+150	17,0	3,0
18	5	101	W 2P -1	K5	+50	8,0	12,0
18	4	110	W 2P =	K5	-110	3,0	17,0
18	108	3	O 3SA -3	C4	+150	17,0	3,0
18	106	2	O 2SA -1	C4	+50	8,0	12,0
18	104	1	O 3T =	CA	-110	3,0	17,0
18	11	102	W 4P =	K10	-420	0,0	20,0
18	111	10	O 5T -3	C6	+150	17,0	3,0

19	10	110	N 5C X -3	P6	-500	12,0	8,0
19	9	108	W 5P =	CD	-650	4,0	16,0
19	106	8	W 4P =	CD	-620	8,0	12,0
19	7	104	W 4P -1	P3	+100	19,0	1,0
19	6	102	W 4P +1	CD	-650	4,0	16,0
19	5	111	N 3C -1	P6	-50	16,0	4,0
19	109	4	W 4P +1	CD	-650	4,0	16,0
19	107	3	N 4C X -1	P6	-100	14,0	6,0
19	105	2	O 3SA +2	C7	-660	0,0	20,0
19	1	103	O 3SA =	C7	-600	10,0	10,0
19	101	11	W 4P -1	TA	+100	19,0	1,0
20	10	110	N 2P +1	C4	+140	18,0	2,0
20	9	108	N 3P -2	TD	-200	1,0	19,0
20	106	8	N 2P +1	TD	+140	18,0	2,0
20	7	104	N 2P =	C4	+110	13,0	7,0
20	6	102	N 3P -1	TD	-100	5,0	15,0
20	5	111	N 2P -1	T3	-100	5,0	15,0
20	109	4	N 3P -2	C2	-200	1,0	19,0
20	107	3	Pass		Pass	9,0	11,0
20	105	2	N 2P +1	K7	+140	18,0	2,0
20	1	103	Pass		Pass	9,0	11,0
20	101	11	N 2P =	K7	+110	13,0	7,0
21	11	111	S 4C -1	KD	-100	2,0	18,0
21	10	109	S 4C +1	KD	+650	14,0	6,0
21	107	9	N 5K =	P7	+600	8,0	12,0
21	8	105	W 4P =	C7	-420	0,0	20,0
21	7	103	S 5C +1	TB	+680	16,0	4,0
21	6	101	N 5K =	TA	+600	8,0	12,0
21	110	5	N 5K =	P7	+600	8,0	12,0
21	108	4	N 5K X +1	TA	+950	20,0	0,0
21	106	3	N 5K +1	TA	+620	12,0	8,0
21	2	104	O 5T X -1	C6	+100	4,0	16,0
21	102	1	S 4C X =	PK	+790	18,0	2,0
22	11	111	O 3K +1	CA	-130	12,0	8,0
22	10	109	O 4K +1	CA	-150	7,0	13,0
22	107	9	O 5K X -1	CA	+200	19,0	1,0
22	8	105	O 4K +1	CA	-150	7,0	13,0
22	7	103	S 5T -4	K3	-200	1,0	19,0
22	6	101	O 4K -1	CA	+100	16,0	4,0
22	110	5	S 3P -4	K3	-200	1,0	19,0
22	108	4	W 4P -2	TB	+200	19,0	1,0
22	106	3	N 4C -2	KA	-100	14,0	6,0
22	2	104	N 4C -3	KA	-150	7,0	13,0
22	102	1	N 3C -3	PB	-150	7,0	13,0